Computational Statistics & Data Analysis 17 (1994) 611–612
North-Holland

Author Index Volume 17 (1994)

(The issue number is given in front of page numbers.)

S.E. Ahmed, Improved estimation in a multivariate regression model * (5) 537–554
M.M. Ali, *see* **A.K. Tsui**
J. Arrenberg, Natural ranks in the conditional Wilcoxon rank sum test * (2) 141–152
M.E. Bad Dumitrescu, D.N. Enachescu and **F.Th. Hristea,** On the performances of an outlier test in the case of the exponential distribution (2) 119–128
D.Y. Bell, *see* **R.M. Mickey**
B. Boukai, Graphically based interval estimation for the change-point ** (1) 77–86
R. Cao, A. Cuevas and **W.G. Manteiga,** A comparative study of several smoothing methods in density estimation * (2) 153–176
A. Cohen and **M. Rom,** A method for hypothesis tests in polychotomous logistic regression * (3) 277–288
R.D. Cook and **S. Weisberg,** ARES plots for generalized linear models ** (3) 303–316
A. Cuevas, *see* **R. Cao**
S.P. Ellis and **M. McDermott,** Measuring the local dimension of point clouds ** (3) 317–326
D.N. Enachescu, *see* **M.E. Bad Dumitrescu**
J.-E. Englund, *see* **K. Sejling**
A. Fisher and **P.S. Horn,** Robust prediction intervals in a regression setting (2) 129–140
O. Frank and **J. Öhrvik,** Entropy of sums of random digits ** (2) 177–184
W.D. Furman and **B.G. Lindsay,** Measuring the relative effectiveness of moment estimators as starting values in maximizing likelihoods (5) 493–508
W.D. Furman and **B.G. Lindsay,** Testing for the number of components in a mixture of normal distributions using moment estimators (5) 473–492
A. Genizi, *see* **R. Marcus**
M.R. Harwell and **R.C. Serlin,** A Monte Carlo study of the Friedman test and some competitors in the single factor, repeated measures design with unequal covariances * (1) 35–50
D.M. Hawkins, The feasible solution algorithm for least trimmed squares regression ** (2) 185–196
D.M. Hawkins, The feasible solution algorithm for the minimum covariance determinant estimator in multivariate data ** (2) 197–212
J.F. Hilton, C.R. Mehta and **N.R. Patel,** An algorithm for conducting exact Smirnov tests * (4) 351–362
J. Holst, *see* **K. Sejling**
U. Holst, *see* **K. Sejling**
P.S. Horn, *see* **A. Fisher**
F. Th. Hristea, *see* **M.E. Bad Dumitrescu**
M. Jamshidian and **R.I. Jennrich,** Conjugate gradient methods in confirmatory factor analysis (3) 247–264

* Appeared in Section II
** Appeared in Section III
All others: Appeared in Section I

0167-9473/94/$07.00 © 1994 – Elsevier Science B.V. All rights reserved

R.I. Jennrich, *see* **M. Jamshidian**
D. Kushary, *see* **R.W. Mee**
S.-Y. Lee, *see* **W.-Y. Poon**
E. Lesaffre, G. Verbeke and **G. Molenberghs,** A sensitivity analysis of two multivariate response models * (4) 363–392
B.G. Lindsay, *see* **W.D. Furman**
N.T. Longford, Logistic regression with random coefficients (1) 1–16
A. Luceño, Fast optimization of the exact likelihood of AR and ARMA processes * (1) 51–64
W.-M. Luh, *see* **S. Olejnik**
H. Madsen, *see* **K. Sejling**
W.G. Manteiga, *see* **R. Cao**
R. Marcus and **A. Genizi,** Simultaneous confidence intervals for umbrella contrasts of normal means * (4) 393–408
A. Martin Andres and **A. Silva Mato,** Choosing the optimal unconditioned test for comparing two independent proportions * (5) 555–574
M. McDermott, *see* **S.P. Ellis**
R.W. Mee and **D. Kushary,** Prediction limits for the Weibull distribution utilizing simulation ** (3) 327–336
C.R. Mehta, *see* **J.F. Hilton**
R.M. Mickey, S.J. Shema, P.M. Vacek and **D.Y. Bell,** Analysis of multiple outcome variables measured longitudinally (1) 17–34
G. Molenberghs, *see* E. Lesaffre
N. Neykov, *see* **V. Todorov**
P. Neytchev, *see* **V. Todorov**
S. Olejnik and **W.-M. Luh,** Type I error rates, power, and sample sizes for two-stage solutions to the Behrens-Fisher problem when population distributions are non-normal * (4) 409–420
J. Öhrvik, *see* **O. Frank**
N.R. Patel, *see* **J.F. Hilton**
W.-Y. Poon and **S.-Y. Lee,** A distribution free approach for analysis of two-level structural equation model (3) 265–276
R.K. Rayner, The small-sample power of Durbin's *h* test revisited ** (1) 87–94
M. Rom, *see* **A. Cohen**
P.J. Rousseeuw and **J. Wagner,** Robust regression with a distributed intercept using least median of squares * (1) 65–76
K. Sejling, H. Madsen, J. Holst, U. Holst and **J.-E. Englund,** Methods for recursive robust estimation of AR parameters (5) 509–536
R.C. Serlin, *see* **M.R. Harwell**
S.J. Shema, *see* **R.M. Mickey**
A. Silva Mato, *see* **A. Martin Andres**
V. Todorov, N. Neykov and **P. Neytchev,** Robust two-group discrimination by bounded influence regression: A Monte Carlo simulation * (3) 289–302
A.K. Tsui and **M.M. Ali,** Exact distributions, density functions and moments of the least squares estimator in a first-order autoregressive model ** (4) 433–456
P.M. Vacek, *see* **R.M. Mickey**
J.N. Variyam, A common framework for estimating multivariate autoregressive index models * (4) 421–432
G. Verbeke, *see* **E. Lesaffre**
P. Vieu, Choice of regressors in nonparametric estimation * (5) 575–594
J. Wagner, *see* **P.J. Rousseeuw**
S. Weisberg, *see* **R.D. Cook**